

# Elektrolyt

| Popis                | Balení | Obj.č.     |
|----------------------|--------|------------|
| Elektrolyt (zředěný) | 1l     | MO 195-002 |




## STANDARDNÍ BATERIE - 6 VOLTŮ

| Obj.č. = Typ | Volt | Ah | D   | Š  | V   | Roztok (l) | kg  | ze předu | z boku | svrchu | Uspořádání pólů |
|--------------|------|----|-----|----|-----|------------|-----|----------|--------|--------|-----------------|
| 6N2-2A       | 6    | 2  | 70  | 47 | 96  | 0,11       | 0,6 |          |        |        |                 |
| 6N2-2A-7     | 6    | 2  | 70  | 47 | 96  | 0,11       | 0,6 |          |        |        |                 |
| 6N2-2D       | 6    | 2  | 70  | 47 | 96  | 0,11       | 0,6 |          |        |        |                 |
| 6N4-2A-2     | 6    | 4  | 71  | 71 | 96  | 0,2        | 0,9 |          |        |        |                 |
| 6N4-2A-7     | 6    | 4  | 71  | 71 | 96  | 0,2        | 0,9 |          |        |        |                 |
| 6N4A-4D      | 6    | 4  | 57  | 61 | 131 | 0,2        | 1,0 |          |        |        |                 |
| 6N4B-2A      | 6    | 4  | 102 | 48 | 96  | 0,2        | 1,0 |          |        |        |                 |
| 6N4B-2A-3    | 6    | 4  | 102 | 48 | 96  | 0,2        | 1,0 |          |        |        |                 |
| 6N6-1D-2     | 6    | 6  | 99  | 57 | 111 | 0,3        | 1,3 |          |        |        |                 |
| 6N6-3B-1     | 6    | 6  | 99  | 57 | 111 | 0,3        | 1,3 |          |        |        |                 |
| B39-6        | 6    | 7  | 126 | 48 | 126 | 0,3        | 1,6 |          |        |        |                 |
| 6YB8L-B      | 6    | 8  | 121 | 71 | 96  | 0,3        | 1,5 |          |        |        |                 |
| B49-6        | 6    | 8  | 91  | 83 | 161 | 0,4        | 2,2 |          |        |        |                 |
| 6N11-2D      | 6    | 11 | 150 | 70 | 100 | 0,5        | 2,1 |          |        |        |                 |
| 6N12A-2D     | 6    | 12 | 156 | 67 | 116 | 0,5        | 2,3 |          |        |        |                 |
| B38-6A       | 6    | 14 | 119 | 83 | 161 | 0,8        | 2,8 |          |        |        |                 |


# STANDARDNÍ BATERIE - 12 Voltů

| Obj.č. = Typ                      | Volt | Ah  | D   | Š  | V   | Roztok (l) | kg  | ze předu | z boku | svrchu | Uspořádání pólů |
|-----------------------------------|------|-----|-----|----|-----|------------|-----|----------|--------|--------|-----------------|
| YB3L-A                            | 12   | 3   | 99  | 57 | 111 | 0,25       | 1,3 |          |        |        |                 |
| YB3L-B                            | 12   | 3   | 99  | 57 | 111 | 0,25       | 1,3 |          |        |        |                 |
| YB4L-A                            | 12   | 4   | 121 | 71 | 93  | 0,3        | 1,5 |          |        |        |                 |
| YB4L-B                            | 12   | 4   | 121 | 71 | 93  | 0,3        | 1,5 |          |        |        |                 |
| YB4L-B<br>Obsahuje balení roztoku | 12   | 4   | 121 | 71 | 93  | 0,3        | 1,5 |          |        |        |                 |
| YB5L-B                            | 12   | 5   | 121 | 61 | 131 | 0,4        | 2,0 |          |        |        |                 |
| 12N5-3B                           | 12   | 5   | 121 | 61 | 131 | 0,45       | 2,0 |          |        |        |                 |
| 12N5,5A-3B                        | 12   | 5,5 | 104 | 91 | 115 | 0,5        | 2,4 |          |        |        |                 |
| 12N5,5-3B                         | 12   | 5,5 | 138 | 61 | 131 | 0,4        | 2,4 |          |        |        |                 |
| 12N5,5-4A                         | 12   | 5,5 | 138 | 61 | 131 | 0,4        | 2,4 |          |        |        |                 |
| 12N7-3B                           | 12   | 7   | 137 | 76 | 135 | 0,5        | 3,0 |          |        |        |                 |
| YB7-A =<br>12N7-4A                | 12   | 8   | 137 | 76 | 134 | 0,5        | 3,0 |          |        |        |                 |
| YB7C-A                            | 12   | 8   | 130 | 90 | 114 | 0,5        | 3,0 |          |        |        |                 |
| 12N9-4B-1                         | 12   | 9   | 135 | 75 | 140 | 0,6        | 3,2 |          |        |        |                 |
| YB9-B                             | 12   | 9   | 135 | 75 | 140 | 0,6        | 3,1 |          |        |        |                 |
| YB9L-A2                           | 12   | 9   | 135 | 75 | 140 | 0,6        | 3,1 |          |        |        |                 |
| YB10L-A2                          | 12   | 11  | 136 | 91 | 146 | 0,7        | 4,4 |          |        |        |                 |
| YB10L-B =<br>12N10-3B             | 12   | 11  | 136 | 91 | 146 | 0,7        | 4,4 |          |        |        |                 |
| YB10L-B2                          | 12   | 11  | 136 | 91 | 146 | 0,7        | 4,4 |          |        |        |                 |
| 12N12A-4A-1                       | 12   | 12  | 135 | 81 | 161 | 0,8        | 4,2 |          |        |        |                 |

# STANDARDNÍ BATERIE - 12 Voltů

| Obj.č.=Typ            | Volt | Ah | D   | Š   | V   | Roztok (l) | kg  | ze předu                                                                              | z boku                                                                                | Svrchu                                                                                | Uspořádání pólů                                                                       |
|-----------------------|------|----|-----|-----|-----|------------|-----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| YB12A-A               | 12   | 12 | 135 | 81  | 161 | 0,8        | 4,1 |    |    |    |    |
| YB12A-B               | 12   | 12 | 135 | 81  | 161 | 0,8        | 4,1 |    |    |    |    |
| YB12AL-A              | 12   | 12 | 135 | 81  | 161 | 0,8        | 4,1 |    |    |    |    |
| YB12AL-A2             | 12   | 12 | 135 | 81  | 161 | 0,8        | 4,1 |    |    |    |    |
| YB12B-B2              | 12   | 12 | 161 | 91  | 131 | 0,8        | 4,4 |    |    |    |    |
| 12N14-3A              | 12   | 14 | 135 | 90  | 167 | 0,85       | 4,9 |    |    |    |    |
| YB14-A2               | 12   | 14 | 135 | 91  | 167 | 0,85       | 4,5 |    |    |    |    |
| YB14-B2               | 12   | 14 | 135 | 91  | 167 | 0,85       | 4,5 |   |   |   |   |
| YB14L-A1              | 12   | 14 | 135 | 91  | 167 | 0,8        | 4,5 |  |  |  |  |
| YB14L-A2              | 12   | 14 | 135 | 91  | 167 | 0,8        | 4,5 |  |  |  |  |
| SYB14L-A2             | 12   | 14 | 136 | 91  | 167 | 0,8        | 4,5 |  |  |  |  |
| YB14L-B2              | 12   | 14 | 135 | 91  | 167 | 0,85       | 4,5 |  |  |  |  |
| YB14A-A2              | 12   | 14 | 136 | 91  | 178 | 0,9        | 4,5 |  |  |  |  |
| HYB16A-A              | 12   | 16 | 151 | 91  | 182 | 1,1        | 7,2 |  |  |  |  |
| YB16B-A               | 12   | 16 | 162 | 92  | 162 | 1,2        | 5,6 |  |  |  |  |
| YB16B-A1              | 12   | 16 | 162 | 92  | 162 | 1,2        | 5,6 |  |  |  |  |
| YB16AL-A2             | 12   | 16 | 207 | 71  | 164 | 1,2        | 5,2 |  |  |  |  |
| YB16-B                | 12   | 19 | 176 | 101 | 156 | 1,2        | 6,3 |  |  |  |  |
| YB16L-B =<br>12N16-3B | 12   | 19 | 176 | 101 | 156 | 1,2        | 6,3 |  |  |  |  |
| SYB16L-B              | 12   | 19 | 176 | 101 | 156 | 1,2        | 6,3 |  |  |  |  |

# STANDARDNÍ BATERIE - 12 Voltů

| Obj.č.=Typ |  | Volt | Ah | D   | Š   | V   | Roztok (l) | kg  | ze předu                                                                              | zboku                                                                                 | svrchu                                                                                | Uspořádání pólů                                                                       |
|------------|--|------|----|-----|-----|-----|------------|-----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| YB18L-A    |  | 12   | 18 | 182 | 92  | 164 | 1,2        | 5,7 |    |    |    |    |
| SY50N18L-A |  | 12   | 20 | 207 | 92  | 164 | 1,5        | 7,5 |    |    |    |    |
| Y50N18L-A  |  | 12   | 20 | 207 | 92  | 164 | 1,5        | 7,5 |    |    |    |    |
| Y50N18L-A3 |  | 12   | 20 | 207 | 92  | 164 | 1,5        | 7,5 |    |    |    |    |
| Y60-N24L-A |  | 12   | 28 | 185 | 125 | 176 | 1,7        | 8,6 |    |    |    |    |
| YHD-12     |  | 12   | 32 | 207 | 132 | 167 | 2,2        | 8,3 |    |    |    |    |
|            |  |      |    |     |     |     |            |     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| 12C16A-3B  |  | 12   | 16 | 185 | 83  | 170 |            |     |    |    |    |    |
| 51913      |  | 12   | 19 | 186 | 82  | 170 | 1,2        | 4,8 |  |  |  |  |
| 52015      |  | 12   | 20 | 185 | 82  | 170 | 1,2        | 4,8 |  |  |  |  |
| 52515      |  | 12   | 25 | 186 | 130 | 171 | 1,8        | 6,5 |  |  |  |  |
| 53030      |  | 12   | 30 | 186 | 130 | 171 | 1,8        | 8,6 |  |  |  |  |



# Gelové baterie – 12 Voltů (bezúdržbové)

(balení obsahuje roztok)

| Obj.č.=Typ | Volt | Ah | Š   | V  | D   | Roztok (l) | kg   | ze předu                                                                              | z boku                                                                                | svrchu                                                                                | Uspořádání pólů                                                                       |
|------------|------|----|-----|----|-----|------------|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| YTX4L-BS   | 12   | 3  | 114 | 71 | 86  | přibaleno  | 1,5  |    |    |    |    |
| YTX5L-BS   | 12   | 4  | 114 | 71 | 106 | přibaleno  | 2,0  |    |    |    |    |
| YTX7A-BS   | 12   | 6  | 152 | 88 | 94  | přibaleno  | 2,7  |    |    |    |    |
| YTX7L-BS   | 12   | 6  | 114 | 71 | 131 | přibaleno  | 2,35 |    |    |    |    |
| YTX9-BS    | 12   | 8  | 152 | 88 | 106 | přibaleno  | 3,2  |    |    |    |    |
| YTX12-BS   | 12   | 10 | 152 | 88 | 131 | přibaleno  | 4,0  |    |    |    |    |
| WP14L-2    | 12   | 11 | 134 | 90 | 168 | přibaleno  | 4,5  |    |    |    |    |
| YTX14-BS   | 12   | 12 | 152 | 88 | 147 | přibaleno  | 4,5  |  |  |  |   |
| YTX15L-BS  | 12   | 13 | 175 | 87 | 130 | přibaleno  | 4,0  |  |  |  |  |
| YTX16-BS   | 12   | 14 | 150 | 87 | 161 | přibaleno  | 4,7  |  |  |  |  |
| YTX16-BS-1 | 12   | 14 | 150 | 87 | 161 | přibaleno  | 4,7  |  |  |  |  |
| YTX20A-BS  | 12   | 17 | 150 | 87 | 161 | přibaleno  | 6,0  |                                                                                       |                                                                                       |                                                                                       |  |
| YTX20L-BS  | 12   | 18 | 175 | 85 | 155 | přibaleno  | 5,9  |  |  |  |  |



# Gelové baterie - 12 Voltů "MF SUPER SEALED"

Naplněno z výroby – zatavený gel

| Obj.č.=Typ         | Volt | Ah   | D   | Š   | V   | Roztok (l) | kg  | ze předu | z boku | svrchu | Uspořádání pólů |
|--------------------|------|------|-----|-----|-----|------------|-----|----------|--------|--------|-----------------|
| YTR4A-BS = WP4A-BS | 12   | 2,3  | 113 | 48  | 86  | naplňeno   | 1,1 |          |        |        |                 |
| YT4L-BS = GT4B-4   | 12   | 3    | 114 | 71  | 86  | naplňeno   | 1,5 |          |        |        |                 |
| YT7B-BS = GT7B-4   | 12   | 6    | 151 | 66  | 94  | naplňeno   | 2,5 |          |        |        |                 |
| YT9B-4 = GT9B-4    | 12   | 8    | 150 | 70  | 105 | naplňeno   | 3,5 |          |        |        |                 |
| YT12B-BS = GT12B-4 | 12   | 10   | 151 | 70  | 131 | naplňeno   | 4,1 |          |        |        |                 |
| YT12A-BS           | 12   | 11   | 152 | 88  | 106 | naplňeno   | 3,6 |          |        |        |                 |
| YT14B-BS = GT14B-4 | 12   | 12   | 152 | 70  | 145 | naplňeno   | 4,5 |          |        |        |                 |
| WP16-B             | 12   | 19   | 175 | 100 | 155 | naplňeno   | 5,9 |          |        |        |                 |
| WPX20L-BS          | 12   | 18   | 175 | 85  | 155 | naplňeno   | 5,9 |          |        |        |                 |
| 51913 = 52015      | 12   | 20   | 185 | 82  | 170 | naplňeno   | 4,8 |          |        |        |                 |
|                    |      |      |     |     |     |            |     |          |        |        |                 |
| Obj.č.=Typ         | Volt | Ah   | D   | Š   | V   | Roztok (l) | Kg  | ze předu | z boku | svrchu | Uspořádání pólů |
| YTZ6               |      |      |     |     |     |            |     |          |        |        |                 |
| YTZ7S              | 12   | 6    | 113 | 70  | 105 | naplňeno   | 2,1 |          |        |        |                 |
| YTZ10S             | 12   | 8,6  | 150 | 87  | 93  | naplňeno   | 3,1 |          |        |        |                 |
| YTZ12S             | 12   | 11   | 150 | 87  | 110 | naplňeno   | 3,6 |          |        |        |                 |
| YTZ14S             | 12   | 11,2 | 150 | 87  | 110 | naplňeno   | 3,9 |          |        |        |                 |